

BEULCO®

Product Group **A6**

Plug-in Coupling System for Corrugated Stainless Steel Pipes



The plug-in coupling system for corrugated stainless steel pipes with the unique poka yoke seat*



Quick.

- trouble-free installation (without special tools)
- ready to use


Simple.

- maintanance-free
- user-friendly
- torsion-free pipe mounting
- long-lasting

Safe.

- fail-safe metal to metal sealing
- prevents failures

The special construction according to the poka yoke principle provides an intelligent leading of the pipe into the right seal position.



The BEULCO A6 is always dense and guarantees the craftsmen a trouble-free installation even under difficult mounting conditions. By its metal sealing it is absolutely maintenance-free so that the replacement of a seal is not necessary.
As we deliver it as one piece, the BEULCO A6 is immediately ready for use and assembling of components at site is not necessary.

Stick in the corrugated pipe - tighten the nut - that´s it!

» It is the fastest, simpliest, safest and most correct way at all.

Assembly instructions:

1. Cut the pipe clean and burr-free with a pipe cutter.
   If necessary deburr the inside.
2. Unscrew the forcing nut a quarter turn.
3. Push the pipe into the connector until it latches.
4. Tighten firmly the forcing nut with an open-ended spanner.

*** Poka Yoke is the prevention of inadvertent failures by technically intelligent constructions.**

CONNECTOR WITH EXTERNAL THREAD



Model SKS 2 01

CONNECTOR WITH INTERNAL THREAD



Model SKS 2 110

CONNECTOR FOR COPPER PIPES



Model SKS 2 500

CONNECTOR WITH WELDED SOCKET



Model SKS 2 550

COUPLING



Model SKS 2 05

Model SKS 2 01 and SKS 2 110 are also available for flat sealing

Now available with reduction inserts.

model	corrugated stainless steel pipe	quick coupling	connection	S	H	W	pkg. unit		EAN no. 4027848-
SKS 2 01	DN 16	connector	external R 1/2“	■	■	■	10		342662
SKS 2 01	DN 16	connector	external R 3/4“	■	■	■	10		342686
SKS 2 110	DN 16	connector	internal Rp 1/2“	■	■	■	10		342747
SKS 2 110	DN 16	connector	internal Rp 3/4“	■	■	■	10		342761
SKS 2 05	DN 16	coupling	DN 16	■	■	■	10		342822
SKS 2 500	DN 16	connector	Cu Ø 15	■	■	■	10		342860
SKS 2 500	DN 16	connector	Cu Ø 18	■	■	■	10		342884
SKS 2 500	DN 16	connector	Cu Ø 22	■	■	■	10		342907
SKS 2 550	DN 16	connector with welded socket	Ø 22	■	■	■	10		342709
SKS 2 550	DN 16	connector with welded socket	Ø 18	■	■	■	10		353583
SKS 2 01	DN 16	connector flat sealing	external G 1/2“	■	■	■	10		353460
SKS 2 110	DN 16	connector flat sealing	internal G 1/2“	■	■	■	10		353422
SKS 2 01	DN 16	connector flat sealing	external G 3/4“	■	■	■	10		360345
SKS 2 110	DN 16	connector flat sealing	internal G 3/4“	■	■	■	10		360352
SKS 2 01	DN 16	connector flat sealing	external G 1“	■	■	■	10		364411
SKS 2 110	DN 16	connector flat sealing	internal G 1“	■	■	■	10		364428
SKS 2 01	DN 20	connector	external R 3/4“	■	■	■	10		340811
SKS 2 01	DN 20	connector	external R 1“	■	■	■	10		342723
SKS 2 110	DN 20	connector	internal Rp 3/4“	■	■	■	10		342785
SKS 2 110	DN 20	connector	internal Rp 1“	■	■	■	10		342808
SKS 2 05	DN 20	coupling	DN 20	■	■	■	10		342846
SKS 2 500	DN 20	connector	Cu Ø 15	■	■	■	10		342921
SKS 2 500	DN 20	connector	Cu Ø 18	■	■	■	10		342945
SKS 2 500	DN 20	connector	Cu Ø 22	■	■	■	10		342969
SKS 2 550	DN 20	connector with welded socket	Ø 22	■	■	■	10		343003
SKS 2 01	DN 20	connector flat sealing	external G 1/2“	■	■	■	10		353484
SKS 2 110	DN 20	connector flat sealing	internal G 1/2“	■	■	■	10		353446
SKS 2 01	DN 20	connector flat sealing	external G 3/4“	■	■	■	10		360369
SKS 2 110	DN 20	connector flat sealing	internal G 3/4“	■	■	■	10		360376
SKS 2 01	DN 20	connector flat sealing	external G 1“	■	■	■	10		364435
SKS 2 110	DN 20	connector flat sealing	internal G 1“	■	■	■	10		364442
SKS 2 01	DN 25	connector	external R 1“	■	■	■	10		341993
SKS 2 01	DN 25	connector	external R 1 1/4“	■	■	■	10		342013
SKS 2 110	DN 25	connector	internal Rp 1“	■	■	■	10		342037
SKS 2 110	DN 25	connector	internal Rp 1 1/4“	■	■	■	10		342051
SKS 2 05	DN 25	coupling	DN 25	■	■	■	10		342075
SKS 2 500	DN 25	connector	Cu Ø 18	■	■	■	10		342112
SKS 2 500	DN 25	connector	Cu Ø 22	■	■	■	10		342136
SKS 2 5001		reduction insert for SKS 2 500	from Cu Ø 22 to Cu Ø 12	■	■	■	10		352654
SKS 2 5001		reduction insert for SKS 2 500	from Cu Ø 22 to Cu Ø 15	■	■	■	10		265701
SKS 2 5001		reduction insert for SKS 2 500	from Cu Ø 22 to Cu Ø 18	■	■	■	10		352661



BEULCO GmbH & Co. KG
Kölner Str. 92
D-57439 Attendorn
P.O. Box 1 20
D-57425 Attendorn
Phone +49 2722 695-0
Fax +49 2722 695-5240
info@beulco.de
www.beulco.de