BEULCO®

Product Group B

Wall Ducts




made
in
Germany

Product Group **B**

BEULCO wall ducts for all kinds of water bearing pipelines and cables

When being installed expertly BEULCO wall ducts guarantee a reliable sealing between flow and return pipes and protecting tubes. This is also valid for pressing groundwater as well as for stray gas. Inter alia they are suitable for the leading through of water conduits of all types. The protecting pipes are made of plastic with a standard length of 45 cm. On request they are available also in other lengths up to 2 m.



The fields of application of the products are indicated on the product pages.

Legend application fields:

W water

Cable cable

Your advantages

- dimensionally stable material of the protecting pipe with a groove profile that cannot tear out
- free choice of length
- safe protection for the medium pipe
- impermeable against pressing water and stray gas
- practice orientated connection and different options to combine



Wall duct with flange for a later installation

Assembly instructions

When retrofitting our wall ducts, please observe the following outer diameters of the protecting pipes:

Protecting pipe made of plastic		
outer diameter of pipe or cable to be led through (mm)	outer diameter wall duct (mm)	optimal mounting set dimension (mm)
up to 26,9	40	-
up to 33,7	47	32
up to 43,0	57	40
up to 52,9	69	50
up to 64,5	83	63
up to 76,1	96	-

Note:

The sealing between protecting pipe and brickwork should be made by suitable plastic material.



WALL DUCT

for all kinds of continuous water bearing pipelines and for cables protecting pipe made of plastic - standard length 45 cm

Model 9000

thread	outer diameter of passing conduits (mm)	W	Cable	pkg. unit		EAN no. 4027848-
-	13 - 15	■	■	1		126736
-	16,6 - 18,9	■	■	1		126767
-	19 - 20,5	■	■	1		126514
-	21,6 - 22,5	■	■	1		126835
-	22,6 - 23,5	■	■	1		126842
-	23,6 - 25,5	■	■	1		126521
-	27 - 29	■	■	1		126880
-	29,1 - 30,9	■	■	1		126668
-	31 - 32,5	■	■	1		126538
-	32,6 - 33,7	■	■	1		126606
-	33,8 - 35	■	■	1		126934
-	38,6 - 40	■	■	1		126545
-	40,1 - 41	■	■	1		126972
-	41,1 - 42	■	■	1		126989
-	42,1 - 43	■	■	1		126613
-	46,6 - 49	■	■	1		127047
-	49,1 - 50	■	■	1		126552
-	50,1 - 50,5	■	■	1		127054
-	50,6 - 51,5	■	■	1		127092
-	51,6 - 52,9	■	■	1		126699
-	58,6 - 61	■	■	1		127122
-	61,1 - 63	■	■	1		126569
-	63,1 - 64,5	■	■	1		126705
-	73,6 - 76,1	■	■	1		126576



WALL DUCT

with connector with external thread of product group A1
protecting pipe made of plastic - standard length 45 cm

Model 9100

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
3/4“	25 x 2,3	■	1		127245
1“	32 x 2,9/3	■	1		127283
1 1/4“	40 x 3,6/3,7	■	1		127320
1 1/2“	50 x 4,5/4,6	■	1		127368



CONNECTING SET

for spiral hose, model 90905, to make out a flexible wall duct
consisting of: 2 gland fittings, model 9090
2 hose clamps made of stainless steel, model 90906

Model 90904

outer diameter of passing conduits (mm)	inner diameter of required hose (mm)	W	Cable	pkg. unit		EAN no. 4027848-
31 - 32,5	40	■	■	1		266494
38,6 - 40	50	■	■	1		266500
49,1 - 50	60	■	■	1		266517
61,1 - 63	75	■	■	1		266524



GLAND FITTING

made of plastic, with hose nozzle

Model 9090

outer diameter of passing conduits (mm)	inner diameter of required hose (mm)	W	Cable	pkg. unit		EAN no. 4027848-
31 - 32,5	40	■	■	1		131020
38,6 - 40	50	■	■	1		131037
49,1 - 50	60	■	■	1		131044
61,1 - 63	75	■	■	1		131051

PLASTIC SPIRAL HOSE

50 m per roll

Model 90905

outer diameter of passing conduits (mm)	inner diameter of required hose (mm)	W	Cable	pkg. unit		EAN no. 4027848-
31 - 32,5	40	■	■	1		229765
38,6 - 40	50	■	■	1		214617
49,1 - 50	60	■	■	1		229772
61,1 - 63	75	■	■	1		229789

HOSE CLAMPS

9 mm wide, hose clamp made of stainless steel, screw made of zinc-coated steel
for spiral hose model 90905

Model 90906

for outer diameter (mm)	inner diameter of required spiral hose (mm)	pkg. unit		EAN no. 4027848-
25 - 40	35	10		265473
35 - 50	40	10		265480
40 - 60	50	10		265497
50 - 70	60	10		265503

made in Germany



WALL DUCT

with connector with pipe external thread of product group A3
protecting pipe made of plastic - standard length 45 cm
Model 9800

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1“	32	■	1		128136
1 1/4“	40	■	1		128143
1 1/2“	50	■	1		128150
2“	63	■	1		128167



WALL DUCT

with elbow 90° with pipe external thread of product group A3
protecting pipe made of plastic - standard length 45 cm
Model 9830

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1“	32	■	1		128259
1 1/4“	40	■	1		128266
1 1/2“	50	■	1		128273



WALL DUCT

with elbow 90° with reduced pipe external thread of product group A3
protecting pipe made of plastic - standard length 45 cm
Model 9840

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1“	40	■	1		128303



WALL DUCT

with elbow 90° with pipe internal thread of product group A3
protecting pipe made of plastic - standard length 45 cm
Model 9850

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1“	32	■	1		128334



WALL DUCT

with connector with pipe external thread of product group A1

protecting pipe made of steel - standard length 45 cm

Model 910

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1“	32 x 2,9/3	■	1		128655
1 1/4“	40 x 3,6/3,7	■	1		128709
1 1/2“	50 x 4,5/4,6	■	1		128761



MOUNTING SET

for wall duct, model 9000, for later installation (e.g. in case of core removing hole bores) consisting of:

1 flange
1 cellular seal
3 screws with plain washer and pin
1 plastic plug for closing the feed opening
1 air vent hose

Model 909020

dimension (mm)	diameter of core removing hole bores (mm)	W	Cable	pkg. unit		EAN no. 4027848-
32	60	■	■	1		211111
40	70	■	■	1		211128
50	80	■	■	1		223930
63	90	■	■	1		223947



EXTENSION PIECE

made of plastic, 150 mm long

Model 9015

outer diameter of passing conduits (mm)	outer diameter of wall duct (mm)	W	Cable	pkg. unit		EAN no. 4027848-
up to 26,9	40	■	■	1		132362
up to 33,7	47	■	■	5		132379
up to 43,0	57	■	■	5		132386
up to 52,9	69	■	■	2		132393
up to 64,5	83	■	■	1		132409



EXTENSION PIECE

made of plastic, 300 mm long

Model 9030

outer diameter of passing conduits (mm)	outer diameter of wall duct (mm)	W	Cable	pkg. unit		EAN no. 4027848-
up to 26,9	40	■	■	1		132416
up to 33,7	47	■	■	5		132423
up to 43,0	57	■	■	5		132430
up to 52,9	69	■	■	2		132447
up to 64,5	83	■	■	1		132454



EXTENSION BUSHING

made of plastic

Model 9040

outer diameter of passing conduits (mm)	outer diameter of wall duct (mm)	W	Cable	pkg. unit		EAN no. 4027848-
up to 26,9	40	■	■	1		132461
up to 33,7	47	■	■	5		132478
up to 43,0	57	■	■	5		132485
up to 52,9	69	■	■	5		132492
up to 64,5	83	■	■	1		132508



REDUCING SOCKET

made of plastic, for wall duct model 9000

Model 9050

	dimension (mm)	W	Cable	pkg. unit		EAN no. 4027848-
	40 - 32	■	■	5		130979
	50 - 40	■	■	5		130986
	75 - 63	■	■	1		131006

REDUCING SEAL SET

from outer diameter 40 mm to 32 mm for model 9090
consisting of seal and sliding ring

Model 9051

	dimension (mm)	W	Cable	pkg. unit		EAN no. 4027848-
	40 - 32	■	■	1		304523



FORCING NUT

for model 9000,
consisting of sliding ring, seal and forcing nut

Model 90001

	outer diameter of passing conduits (mm)	W	Cable	pkg. unit		EAN no. 4027848-
	23,6 - 25,5	■	■	1		207886
	31 - 32,5	■	■	1		167319
	38,6 - 40	■	■	1		182268
	49,1 - 50	■	■	1		209408
	61,1 - 63	■	■	1		167913



BRASS GLAND FITTING

for protecting pipe made of steel, for continuous plastic pipe

Model 90

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1 1/2“	32	■	2		131082
2“	40	■	2		131099
2 1/2“	50	■	1		131105



BRASS CONNECTOR

for protecting pipe made of steel
with connector with pipe external thread of product group A1

Model 91

thread	dimension (mm)	W	pkg. unit		EAN no. 4027848-
1 “	32 x 2,9/3	■	2		131341
1 1/4“	40 x 3,6/3,7	■	2		131402
1 1/2“	50 x 4,5/4,6	■	1		131440

BEULCO® GmbH & Co. KG
Kölner Str. 92
D-57439 Attendorn
P.O.Box 1 20
D-57425 Attendorn
Phone +49 2722 695-0
Fax +49 2722 695-5240
info@beulco.de
www.beulco.de