BEULCO®

Product Group C


Gate Valves



made
in
Germany

Product Group **C**

BEULCO® gate valves



The fields of application of the products are indicated on the product pages.


Legend application fields:

drinking water

water

Your advantages

- made of dezincification resistant hot-presssed brass acc. to DIN 50930-6
- tested in our factory for 100% of impermeability (25 bar) and function reliability
- without gland - double o-ring seal in the upper part
- no spindle overwinding or breakages
- no destruction of the conical nipple by closing force
- with shield to prevent a penetration of foreign substances
- full passage
- several combinations are possible in practical use
- maintanance-free



1	housing	6	cap
2	insert	7	circlip
3	sealing cone with core	8	o-ring
		9	o-ring
4	guiding piece	10	stud bolt
5	upper part	11	shield

made in Germany

DRINKING WATER

WATER



GATE VALVE

with thread connections

Model 8010 / 8020 / 8030 / 8040

	thread	2013	W	pkg. unit		EAN no. 4027848-
NW 1“ Model 8010	1“ external x 1“ external	■	■	1		135004
	1“ internal x 1“ internal	■	■	1		135028
	1“ external x 1“ internal	■	■	1		135035
	1 1/4“ external x 1“ internal	■	■	1		135042
	1 1/4“ external x 1 1/4“ external	■	■	1		135011
NW 1 1/4“ Model 8020	1 1/4“ external x 1 1/4“ external	■	■	1		135196
	1 1/4“ internal x 1 1/4“ internal	■	■	1		135219
	1 1/4“ external x 1 1/4“ internal	■	■	1		135226
	1 1/2“ external x 1 1/4“ internal	■	■	1		135233
	1 1/2“ external x 1 1/2“ external	■	■	1		135202
NW 1 1/2“ Model 8030	1 1/2“ internal x 1 1/2“ internal	■	■	1		135363
	1 1/2“ external x 1 1/2“ internal	■	■	1		135387
	2“ external x 1 1/2“ internal	■	■	1		135370
NW 2“ Model 8040	2“ internal x 2“ internal	■	■	1		135486
	2“ external x 2“ internal	■	■	1		135509
	2 1/2“ external x 2“ internal	■	■	1		135493



GATE VALVE

with external or internal thread and tightly mounted connector of product group A2
for plastic pipe connection

Model 8111 / 8121 / 8141

	thread	plastic pipe dimension (mm)	2013	W	pkg. unit		EAN no. 4027848-
NW 1“ Model 8111	1“ external	32 x 2,9/3	■	■	1		135059
	1“ internal	32 x 2,9/3	■	■	1		135110
	1 1/4“ external	40 x 3,6/3,7	■	■	1		135097
NW 1 1/4“ Model 8121	1 1/4“ internal	40 x 3,6/3,7	■	■	1		135301
	1 1/2“ external	50 x 4,5/4,6	■	■	1		135288
NW 2“ Model 8141	2“ internal	63 x 5,7/5,8	■	■	1		135554



GATE VALVE

with tightly pressed socket of product group A2 for plastic pipe connection
(complete with forcing nuts, insert pipe and plastic clamping rings)

Model 8212

	plastic pipe dimension (mm)	2013	W	pkg. unit		EAN no. 4027848-
NW 1“ Model 8212	32 x 2,9/3	■	■	1		135158
	40 x 3,6/3,7	■	■	1		135172

On request the models 8111, 8121, 8141 are also available with mounted connectors of product group A3.



INSTALLATION SET

for gate valves, tapping valves etc.

with square tool, cap, protecting pipe, cover and rubber disc for sealing

Model 8061

for pipe cover	pkg. unit		EAN no. 4027848-
1,00 m	1		135592
1,25 m	1		135608
1,50 m	1		135615



TELESCOPE INSTALLATION SET

continuously variable

for gate valves, tapping valves etc.

with square tool, coupling sleeve, extension safety device, cap, protecting pipe and integrated rubber sealing against water and debris, rods and cast parts completely zinc-coated

Model 8063


for pipe cover	pkg. unit		EAN no. 4027848-
0,75 - 1,00 m	1		243150
1,00 - 1,50 m	1		243105
1,30 - 1,80 m	1		243167

CLIP PIN OF STAINLESS STEEL

spare part for square tool for model 8062 and 8063

Model 8064

dimension (mm)	pkg. unit		EAN no. 4027848-
3,5 x 30	1		277162



VALVE HOLDER

consisting of two identical components

Model 8080

valve holder	pkg. unit		EAN no. 4027848-
packed in pairs	1		135622



MOUNTING PLATE

incl. fastening set

Model 8081

mounting plate	pkg. unit		EAN no. 4027848-
made of plastic for valve holder	1		275564



SERVICE TOOL

Model 8090

service tool	pkg. unit		EAN no. 4027848-
length 550 mm, opening of the square tool 14-15 mm	1		135639



BEULCO® GmbH & Co. KG
Kölner Str. 92
D-57439 Attendorn
P.O.Box 1 20
D-57425 Attendorn
Phone +49 2722 695-0
Fax +49 2722 695-5240
info@beulco.de
www.beulco.de